

Section 01450

CONTRACTOR'S QUALITY CONTROL

PART 1 GENERAL

1.01 SUMMARY

This Section includes quality assurance, control of installation and manufacturer's field services and reports.

1.02 MEASUREMENT AND PAYMENT

No payment will be made for this item. Include cost of Contractor's quality control in overhead cost of this project.

1.03 REFERENCES

Obtain copies of standards and maintain at job site when required by individual Specification sections.

1.04 – 1.05 NOT USED

1.06 QUALITY ASSURANCE

- A. Monitor quality control over suppliers, manufacturers, products, services, site conditions, and workmanship, to produce Work of specified quality at no additional cost to the Owner.
- B. Comply fully with manufacturers' installation instructions, including each step in sequence.
- C. Request clarification from Project Manager before proceeding when manufacturers' instructions conflict with Contract.
- D. Comply with specified standards as minimum requirements for Work except when more stringent tolerances, codes, or specified requirements indicate higher standards or more precise workmanship.
- E. Perform the Work by persons qualified to produce a specified level of workmanship.

1.07 SYSTEM DESCRIPTION

- A. Manufacturer's Field Services and Reports
 - 1. When specified in individual Specification sections or as required by Project Manager, provide material or product suppliers' or manufacturers' technical

representative to observe site conditions, conditions of surfaces and installation, quality of workmanship, start-up of equipment, operator training, test, adjust and balance of equipment as applicable and to initiate operation, as required. Conform to minimum time requirements for start-up operations and operator training when defined in Specification sections.

2. At Project Manager's request, submit qualifications of manufacturers' representative to Project Manager 15 days in advance of required representatives' services. Representative is subject to approval by Project Manager.
3. A manufacturers' representative is to report observations and site decisions or instructions given to applicators or installers that are supplemental or contrary to a manufacturer's written instructions. Submit report within 14 days of observation to Project Manager for review.

1.08 – 1.13 NOT USED

PART 2 PRODUCTS (NOT USED)

PART 3 EXECUTION (NOT USED)

END OF SECTION